

TEST REPORT

APPLICANT : YONGKANG HAORYING ELECTRIC APPLIANCE CO.,LTD
ADDRESS : QINGXI INDUSTRIAL ZONE, XIANGZHU TOWN,YONGKANG,ZHEJIANG,CHINA
SAMPLE DESCRIPTION : CHARCOAL BARBECUE
STYLE / ITEM NO. : CB-001
REFERENCE NO. : CB-002
COUNTRY OF ORIGIN : CHINA
AGE REQUESTED ON APPLICATION FORM : NOT PRESENT
SAMPLE RECEIVED DATE : MAR. 16, 2017
TEST PERIOD : MAR. 17, 2017 TO MAR. 24, 2017
RESULT SUMMARY :

TEST(S) REQUESTED BY APPLICANT:	RESULT
- RoHS Directive 2011/65/EU.	PASS

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

SIGNED FOR AND ON BEHALF OF
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO. LTD.



Harry Chen
Lab & Technical Support Manager



Coco Luo
Lab & Reporting Manager



This test report is valid for the tested samples only. Without permission of the test center this test report is not permitted to be duplicated in extracts.
This test report does not entitle to carry any safety mark on this or similar products.

RoHS

Test Method : (1) Screening by XRF Spectroscopy:
IEC 62321-3-1: 2013, Lead, Mercury, Cadmium, total Chromium and total Bromine by X-ray fluorescence spectrometry

(2) Wet Chemical test:
Cadmium, Lead: IEC 62321-5: 2013, determined by ICP-OES.

Mercury: IEC 62321-4: 2013, determined by ICP-OES.

Chromium (VI): IEC 62321: 2008 Annex C and IEC 62321-7-1:2015, determined by UV/VIS.

PBBs & PBDEs: IEC 62321-6: 2015, determined by GC-MS.

Test Result :

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
1	Silvery metal grid of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
2	Shiny silvery metal board on grid	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
3	Shiny silvery metal inner pot of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
4	Dull silvery metal cover and bottom of netting	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
5	Grey metal bottom of netting	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
6	Grey metal of net netting	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
7	Silvery metal hull of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
8	Black coating on hull of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	N.D.
		PBBs	BL	--
		PBDEs	BL	--
9	White plastic ring on hull of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
10	Silvery plating on ring	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	N.D.
		PBBs	BL	--
		PBDEs	BL	--
11	Silvery metal tube on hull of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
12	Black plastic bottom of charcoal barbecue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
13	Copper metal bead on axis of motor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

 4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
14	White plastic knob of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
15	Silvery metal cover on knob of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
16	Transparent plastic holder of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
17	Grey metal stick at reverse side of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
18	Silvery metal nut of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
19	Silvery metal sheet of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
20	Brown plastic sheet of switch with multicolor coating	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	N.D.
21	Grey plastic sheet at reverse side of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	15

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
22	Copper metal loop at reverse side of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
23	Silvery metal pin of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
24	Silvery metal case of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
25	Black plastic case of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
26	Transparent plastic sheet inside of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
27	Dark grey plastic block inside of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	14
28	Black metal spring inside of switch	Cd	BL	--
		Pb	IN	545
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
29	Silvery metal sheet inside of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
30	Dark copper metal dot on metal sheet	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
31	Dull silvery metal rivet of switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
32	Silvery metal contact sheet of battery	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
33	Silvery metal spring on contact sheet of battery	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
34	Red plastic of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
35	Black plastic of thin wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
36	Black plastic of thick wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
37	Blue textile cover of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
38	White textile cover of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
39	White plastic of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
40	Silvery metal core of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
41	Silvery metal socket end of wire	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
42	Transparent soft plastic tube of socket	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
43	Golden metal of clip	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
44	White glue on LED and switch	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
45	Silvery metal pin of LED	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

 4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
46	Black plastic of heat shrink tube with grey printing	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
47	Multicolor blue ceramic of resistor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	N.D.
		PBBs	BL	--
		PBDEs	BL	--
48	Silvery metal pin of resistor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
49	Silvery metal of soldering tin	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
50	Black plastic holder of fan on bottom	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
51	Black plastic sheet at reverse side of holder	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
52	Black plastic frame of fan	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	N.D.
53	Black plastic of fan blade	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	16

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
54	Silvery plastic label of fan with green and black printing and transparent glue	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
55	Silvery metal ring of motor(fan)	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
56	Black metal magnet of motor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
57	Brown plastic PCB of motor with multicolor coating and silvery metal	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	N.D.
58	Black ceramic U on PCB with silvery metal	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
59	Silvery metal axis of motor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
60	Silvery metal frame on axis of motor(fan)	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--
61	Black plastic frame on axis of motor(fan)	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	IN	N.D.
		PBDEs	IN	N.D.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

 4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Material No.	Material Description	XRF Results (1)		Wet Chemical Confirmation Result (mg/kg) (2)
62	Red and copper metal coil on frame of motor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	NA	--
		PBDEs	NA	--
63	White plastic ring on axis of motor	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	BL	--
		PBBs	BL	--
		PBDEs	BL	--
64	Silvery metal of screw	Cd	BL	--
		Pb	BL	--
		Hg	BL	--
		Cr(VI)	IN	Negative
		PBBs	NA	--
		PBDEs	NA	--

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Remark:

(1) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).

(b) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr(VI)) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC62321.

XRF Screening Limits in mg/kg for Regulated Elements in Various Matrices:

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	-	$BL \leq (250-3\sigma) < X$

(c) The XRF screening test for ROHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

Note: BL= Below Limit

OL= Over Limit

IN = Inconclusive

LOD = Limit of Detection

N.D. = Not Detected (<MDL)

NA = Not Applicable

- = Not Regulated

-- = Not Conducted

mg/kg = milligram per kilogram = ppm = 0.0001%

(2) (a) Unit and Method Detected Limit (MDL) in wet chemical test.

Testing Item	Detection Limit
Cadmium, Lead & Mercury	10 mg/kg
Chromium (VI)	10 mg/kg
Polybrominated Biphenyls (PBBs) & Polybrominated Diphenyl Ethers (PBDEs)	10 [^] mg/kg

[^] The MDL for single compound of PBBs and PBDEs.

(b) According to IEC 62321, result on Cr(VI) for metal sample is shown as Positive/Negative.

Negative = Absence of Cr(VI) coating.

Positive = Presence of Cr(VI) coating.

(3) RoHS Requirement:

Restricted Substances	Limits [^]
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr VI)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

[^]The above limits were quoted from 2011/65/EU for homogeneous material.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Other Information / Remark:

(1) According to the customer's requirement, the appointed materials have been tested.


(2) Replacement of report (No: EFSN17030873C-C). Upon receipt of this report, the previous report (No: EFSN17030873C-C) will be invalid immediately.

Photo Attachment	
CHARCOAL BARBECUE	
	
<p>The photo of the sample was attached only for the customer's reference. However, it is irrelevant in the testing process.</p>	
	

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.







4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com



TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.


4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

Photo Attachment	
Material No. 17,19-23	Material No. 24,25
	
Material No. 26-31	Material No. 34-43,45-48,44
	
Material No. 49,57,58,63,13	Material No. 50,51
	

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co. Ltd.

4/F, Building# 3, Runheng Dingfeng Industrial Park, No.1 Liuxian 3rd Road, Bao'an District, Shenzhen, P.R. China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com



END OF THE REPORT